


OTHER DESIGN OPTIONS: METAL RAILING FRAMES

DWG # INSTALL STL 2 REV 1
DATE 11/07

OPTION: REPLACE DOUBLE CORNER POSTS WITH A SINGLE POST OF A TYPE AND MINIMUM SIZE RECOMMENDED BY MANUFACTURER OR ENGINEER. SECURELY ATTACH TO CAP RAIL AND DECK STRUCTURE. CERTAIN POST STYLES MAY ALLOW CABLES TO BE RUN CONTINUOUSLY AROUND CORNER; OTHERWISE, CABLES MUST TERMINATE AT CORNER AND DRILL HOLES MUST BE OFFSET BY AT LEAST 1/2" TO ALLOW FOR INTERNAL CLEARANCE OF CABLE END FITTINGS.



NOTE: BUILDING CODES VARY BY CITY & COUNTY. FOLLOWING THE INSTALLATION AND RAILING DESIGN INSTRUCTIONS AS DETAILED IN THIS DRAWING DOES NOT GUARANTEE CODE COMPLIANCE IN ALL AREAS. BEFORE STARTING THE PROJECT, CHECK WITH LOCAL REQUIREMENTS FOR USING AND INSTALLING CABLE RAILINGS.

feeneyarchitectural
PRODUCTS

CableRail™ - Standard Assemblies
2603 Union Street
Oakland, CA 94607-2423
Ph: 800-888-2418 or 510-893-9473
Fx: 510-893-9484, www.cablerail.com